1	Exploring the Composition of Lithic Assemblages in Mesolithic
2	South-Eastern Norway
3	Isak $Roalkvam^1$
4	19 February, 2022
5	Abstract
6	This paper leverages multivariate statistics to explore the composition of 54 Mesolithic assemblages
7	located in south-eastern Norway. To provide analytical control pertaining to factors such as variable
8	excavation practices, systems for artefact categorisation and raw-material availability, the sites chosen
9	for analysis have all been excavated relatively recently and have a constrained geographical distribution.
10	The assemblages were explored following two strains of analysis. The first of these entailed the use of
11	artefact categories that are in established use within Norwegian Mesolithic archaeology, while the other
12	involved drawing on measures that have been linked directly to land-use and mobility patterns associated
13	with lithic assemblages more widely. The findings pertaining to the established artefact categories largely
14	reflect the temporal development previously reported in Norwegian Mesolithic research. Furthermore, the chronological trends associated with variables taken from the so-called Whole Assemblage Behavioural
15 16	Indicators (e.g. Clark and Barton 2017), originally devised for characterising Palaeolithic assemblages in
10	terms of associated mobility patterns, also align with the development previously proposed in the literature.
18	This provides an initial indication that these measures are applicable in a Norwegian Mesolithic setting as
19	well, setting the stage for a more targeted and rigorous model evaluation outside this exploratory setting.
20	Furthermore, this finding supports the notion that these measures can offer a powerful comparative tool
21	in the analysis of lithic assemblages more generally.
22 1	University of Oslo, Department of Archaeology, Conservation and History

Highlights 23

27

- Multivariate exploratory analysis of Mesolithic assemblages in south-eastern Norway 24
- Explores patterns related to established artefact categories in Norwegian archaeology 25 ٠
- Explores variables associated with mobility patterns in lithic assemblage studies • 26
 - Draws on the Whole Assemblage Behavioural Indicators (WABI) ٠
- Relevance for Mesolithic Norway supports the notion that WABI are widely applicable 28

Keywords: Mesolithic Scandinavia; Multivariate statistics; Mobility strategies; Whole Assemblage Behavioural 29 Indicators 30

Introduction 1 31

This study employs multivariate exploratory statistics to analyse lithic assemblages associated with Mesolithic 32 sites located in south-eastern Norway. This is done to identify latent patterns and structure in the relationship 33 between the assemblages, with the ultimate aim of identifying behaviourally induced variation in their 34 composition across time. However, the composition of the assemblages can be expected to be determined by a 35 multitude of factors (e.g. Dibble et al. 2017; Rezek et al. 2020), ranging from the impact of natural formation 36 processes, to various and intermixed behavioural aspects such as purpose, duration, frequency and group 37 sizes at visits to the sites. The assemblages are also likely to be impacted by variation in lithic technology, 38

artefact function, use-life and discard patterns, as well as procurement strategies and access to raw materials. 39 Finally, analytic and methodological dimensions relating to survey, excavation and classification practices are 40 also fundamental to how the assemblages are defined. Consequently, the analysis conducted here is done 41 from an exploratory perspective, where all of these factors should be seen as potential contributors to any 42 observed pattern. In an attempt to limit the influence of some potentially confounding effects, the material 43 chosen for analysis has a constrained geographical distribution, and stems from recent investigations that 44 have employed comparable methods for excavation and classification within larger unified projects. 45 Even though each individual assemblage can have been impacted by an virtual infinitude of effects that might 46 skew an archaeological interpretation, this does not preclude the applicability of inductive analyses aimed 47 at revealing overarching structure in the data without imposing overly complex analytical frameworks that 48 attempt to account for these particularities (Bevan 2015). Structure that can be revealed from considering all 49 of the assemblages in aggregate can constitute a step in an iterative analytical chain that ultimately aims to 50 tease apart the multitude of factors that have shaped the composition of the assemblages. This would in turn 51 give analytical access to the organisation of lithic technology and variation in past behaviour, adaptation and 52 demographic development (see for example Andrefsky 2009; Barton et al. 2011; Binford 1979; Dibble et al. 53 2017; Rezek et al. 2020). The most immediate danger of the approach outlined here is rather to be overly 54 naive in the causal significance and cultural importance that is ascribed to any identified pattern. As such, 55 the main aim of this analysis is to compare the results with findings reported in previous literature concerned 56 with the Mesolithic in southern Norway and have the generation of new hypotheses as a possible outcome. To 57 this end, the analysis follows two analytical avenues. The first involves an analysis of the assemblages using 58 the classification of the artefacts done for the original excavation reports. The second involves an analysis of 59

the assemblages in light of the so-called Whole Assemblage Behavioural Indicators (e.g. Clark and Barton 2017) and other factors that have been employed to align properties of lithic assemblages with land-use and

⁶¹ 2017) and other fa ⁶² mobility patterns.


⁶³ 2 Archaeological context and material

The Early Mesolithic, or Flake Axe Phase, is defined as lasting from c. 9300–8200 BCE (Table 2), and is set 64 to start with the first recorded human presence in Norway (Damlien and Solheim 2018). Previous research 65 has typically proposed that the Early Mesolithic is characterised by a relatively high degree of mobility, and 66 low variation in site types and associated mobility patterns (e.g. Bjerck 2008; Breivik and Callanan 2016; 67 Fuglestvedt 2012; Nærøy 2018; but see Åstveit 2014; Viken 2018). Around the transition to the subsequent 68 Middle Mesolithic or Microlith Phase at c. 8200 BCE, pervasive changes in blade and axe technology occur 69 (Damlien 2016; Eymundsson et al. 2018; Solheim et al. 2020), which in turn has been associated with changes 70 in population genomics and related migration events hailing from the Eurasian steppes (Günther et al. 2018; 71 Manninen et al. 2021). The Microlith Phase is defined as lasting until around 7000 BCE, which is followed by 72 the Pecked Adze Phase, characterised by a more dominating presence of non-flint macro tools and associated 73 production waste in the assemblages (Reitan 2016). The next typological transition at c. 5600 BCE signifies 74 the onset of the Nøstvet Adze Phase. While previously defined as having a slightly longer duration, the 75 Nøstvet Phase has traditionally been seen as representing the onset of more varied settlement systems and 76 stable mobility patterns (e.g. Jaksland 2001; Lindblom 1984). In recent years it has been suggested that 77 the transition to a decrease in mobility and more varied land-use patterns can be traced back to the Middle 78 Mesolithic (Solheim and Persson 2016). The subsequent Transverse Arrowhead Phase (c. 4500–3900 BCE) is 79 characterised by a dramatic decrease in axe finds, and the introduction of new flint projectiles (Reitan 2016). 80 It has recently been suggested that a dispersal of people from southern Scandinavia into southern Norway 81 takes place in this period (Eigeland 2015:379; Nielsen 2021), which could follow after a preceding population 82 decline at c. 4300 BCE (Nielsen 2021; cf. Solheim 2020; Solheim and Persson 2018). 83

A defining characteristic of the Norwegian Mesolithic is that a clear majority of the known sites are located in coastal areas (e.g. Bjerck 2008). Furthermore, these coastal sites appear to predominantly have been

located on or close to the contemporary shoreline when they were in use (Åstveit 2018; Breivik et al. 2018;

⁸⁷ Møller 1987; Solheim 2020). In south-eastern Norway, this pattern is combined with a continuous regression






Figure 1: A) Spatial and B) temporal distribution of the sites chosen for analysis. Radiocarbon age determinations are given as the sum of the posterior density esimates. Solid lines indicate that the site has³ been dated with reference to relative sea-level change and typological indicators. These follow the original reports. Site numbers match those provided in Table 2.

Table 1: Chronological framework. Glørstad's (2010) divison of phases reflects the more traditional framework, to which Reitan (2016) has recently suggested considerable changes.

Glørstad (2010)	
Early Mesolithic, Fosna Phase	9500–8200 BCE
Middle Mesolithic, Tørkop Phase	8200–6300 BCE
Late Mesolithic, Nøstvet Phase	6300–4600 BCE
Late Mesolithic, Kjeøy Phase	4600–3800 BCE
Reitan (2016)	
Flake Axe Phase	9300–8200 BCE
Microlith Phase	8200–7000 BCE
Pecked Adze Phase	7000-5600 BCE
Nøstvet Adze Phase	5600 - 4500 BCE
Transverse Arrowhead Phase	4500–3900 BCE

of the shoreline, following from isostatic rebound (e.g. Romundset et al. 2018; Sørensen 1979). The fairly rapid shoreline displacement means that the sites tend not to have retained their strategic or ecologically

⁵⁰ beneficial shore-bound location for long periods of time (cf. Perreault 2019:47). Consequently, the shore-bound

settlement, combined with the rapid shoreline displacement has resulted in a relatively high degree of spatial

⁹² separation of cumulative palimpsets, to follow the terminology of Bailey (2007), while the reconstruction of

⁹³ the trajectory of relative sea-level change allows for a relatively good control of when these accumulation

⁹⁴ events occurred. In other parts of the world, a higher degree of spatial distribution means that while the

⁹⁵ physical separation of material can help delineate discrete events, this typically comes at the cost of losing

⁹⁶ temporal resolution as any stratigraphic relationship between the events is lost (Bailey 2007).

The 54 coastal sites chosen for analysis here have a relatively limited geographical distribution (Figure 1A). 97 The sites were excavated as part of four larger excavation projects that all took place within the last 15 years 98 (Jaksland and Persson 2014; Melvold and Persson 2014; Reitan and Persson 2014; Solheim 2017a; Solheim 99 and Damlien 2013). The sites included in the analysis consist of all Mesolithic sites excavated in conjunction 100 with the projects that have assemblages holding more than 100 artefacts. The institution responsible for 101 these excavations was the Museum of Cultural History in Oslo. This has led to a considerable overlap in the 102 archaeological personnel involved, and comparable excavation practices across the excavations. Furthermore, 103 with these projects, major efforts were made to standardise how lithic artefacts were to be classified at the 104 museum (Koxvold and Fossum 2017; Melvold et al. 2014). As a result, this should reduce the amount of 105 artificial patterning in the data incurred by discrepancies in the employed systems for categorisation (cf. 106 Clark and Riel-Salvatore 2006; Dibble et al. 2017). 107

The lithic data analysed here is based on the classification of the site assemblages done for the original 108 excavation reports, and consists of 48 debitage and tool types. These represent artefact categories that have 109 been used consistently across the reports. Consequently, sub-categories that have only been used in the 110 classification of some inventories have been omitted. This for example pertains to what blanks have been 111 used for the production of formal tools, which has only been noted in some of the reports. Furthermore, the 112 artefact data have been divided into flint and non-flint materials. Flint does not outcrop naturally in southern 113 Norway, and is only available locally as nodules that have been transported and deposited by retreating 114 and drifting ice (e.g. Berg-Hansen 1999). This means that the distribution and quality of flint has been 115 impacted by a diverse set of climatic and geographical factors (Eigeland 2015:46). Thus, while flint is treated 116 as a unified category here, the variability in quality could have been substantial. Furthermore, the various 117 non-flint raw materials that have been lumped together have quite disparate properties, where fine-grained 118 cryptocrystalline materials are often used as a substitute or supplement to flint, while other, coarser materials 119 are usually associated with the production of axes and other macro tools. Given this differentiated use, 120 these raw-material properties are expected to be reflected in the retained debitage and tool categories. An 121 important benefit of combining all of the non-flint materials is that this reduces the dependency on whether 122 or not these have been correctly and consistently categorised for the reports (cf. Frivoll 2017). Finally, 123

while factors such as landscape changes through shoreline displacement can have led to variable raw-material 124 availability at the analysed sites, for example by impacting accessibility by means of watercraft, the relatively 125 constrained geographical distribution of the sites hopefully counteracts some environmentally given sources of 126

variation. 127

no	Site name	Dating method	Reported start (BCE)	Reported end (BCE)
1	Pauler 1	Shoreline/typology	9200	9000
2	Pauler 2	Shoreline/typology	9150	8950
3	Pauler 3	Shoreline/typology	9000	8800
4	Pauler 5	Shoreline/typology	8975	8775
5	Pauler 4	Shoreline/typology	8950	8750
6	Pauler 6	Shoreline/typology	8850	8650
7	Bakke	Shoreline/typology	8850	8650
8	Pauler 7	Shoreline/typology	8800	8600
9	Nedre Hobekk 2	Shoreline/typology	8800	8500
10	Solum 1	Shoreline/typology	8800	8400
11	Tinderholt 3	Shoreline/typology	8700	8500
12	Tinderholt 2	Shoreline/typology	8700	8400
13	Dørdal	Shoreline/typology	8600	8400
14	Tinderholt 1	Shoreline/typology	8600	8300
15	Skeid	Shoreline/typology	8500	8300
16	Hydal 3	Shoreline/typology	8300	8100
17	Hydal 4	Shoreline/typology	8300	8100
18	Hydal 7	Shoreline/typology	8300	8100
19	Hovland 2	Shoreline/typology	8300	7900
20	Nedre Hobekk 3	Shoreline/typology	8200	8000
21	Hydal 8	Shoreline/typology	8200	8000
22	Hegna vest 1	Radiocarbon	8000	7800
23	Hovland 5	Radiocarbon	8000	7700
24	Sundsaasen 1	Shoreline/typology	7900	7700
25	Hegna øst 6	Shoreline/typology	7900	7700
26	Hegna vest 4	Shoreline/typology	7900	7600
27	Hegna vest 2	Radiocarbon	7900	7550
28	Nordby 2	Shoreline/typology	7900	7500
29	Hovland 4	Radiocarbon	7900	7500
30	Hegna vest 3	Radiocarbon	7800	7600
31	Prestemoen 1	Radiocarbon	7700	7600
32	Hovland 1	Radiocarbon	7700	7400
33	Hovland 3	Radiocarbon	7650	7450
34	Gunnarsrød 7	Shoreline/typology	7800	7300
35	Torstvet	Radiocarbon	7500	7100
36	Hegna øst 5	Shoreline/typology	7500	7000
37	Gunnarsrød 8	Shoreline/typology	7300	7000
38	Langangen Vestgård 1	Radiocarbon	6800	6600
39	Gunnarsrød 2	Shoreline/typology	7000	6000
40	Gunnarsrød 6b	Shoreline/typology	6500	6300
41	Hegna øst 7	Shoreline/typology	6500	6200
42	Gunnarsrød 6a	Shoreline/typology	6300	6100
43	Gunnarsrød 4	Radiocarbon	6000	5800
44	Stokke/Polland 3	Shoreline/typology	6100	5400
45	Gunnarsrød 10	Shoreline/typology	5800	5600
46	Langangen Vestgård 2	Shoreline/typology	5800	5400

Table 2: Analysed sites.

47	Vallermyrene 4	Radiocarbon	5500	5200
48	Hegna øst 2	Radiocarbon	5350	5200
49	Stokke/Polland 8	Radiocarbon	5300	5200
50	Stokke/Polland 5	Radiocarbon	5300	5000
51	Prestemoen 2	Shoreline/typology	5000	4800
52	Vallermyrene 1	Radiocarbon	4700	4100
53	Langangen Vestgård 3	Radiocarbon	4350	4000
54	Stokke/Polland 9	Shoreline/typology	4200	4000

¹²⁸ 3 The analysis of lithic assemblages

Studies concerned with chronological changes in the composition of lithic assemblages in southern Norway have 129 typically had a focus on morphological variation among artefacts (e.g. Ballin 1999; Bjerck 1986; Reitan 2016) 130 or been concerned with technological processes associated with certain sub-categories of the site inventories, 131 such as the production of blades or axes (e.g. Berg-Hansen 2017; Damlien 2016; Eymundsson et al. 2018; 132 Solheim et al. 2020). Studies that have involved entire assemblages have either been concerned with general 133 compositional traits such as relative frequency of various tool types and raw-materials (e.g. Breivik 2020; 134 Breivik and Callanan 2016; Reitan 2016; Viken 2018), or involved extremely in-depth studies of technological 135 organisation associated with a handful of assemblages (e.g. Eigeland 2015; Fuglestvedt 2007; Mansrud and 136 Eymundsson 2016). These studies are, however, based on non-quantitative or descriptive uni- and bivariate 137 methods, leaving the weighting of the many variables for the final interpretations unclear. To my knowledge. 138 only a single study dealing with the composition of Mesolithic assemblages in southern Norway has involved 139 the use of a multivariate quantitative framework, which was employed to structure the analysis of eight Middle 140 Mesolithic assemblages (Solheim 2013; see Glørstad 2010:145–146 for a spatial application). In sum then, 141 previous studies have typically either been limited to a small number of sites, to a subset of the inventories, 142 to morphological characteristics, or to methods that are difficult to scale and consistently balance in the 143 comparison of a larger number of artefact categories and assemblages. 144

The aim of the first of part of the analysis conducted here is to evaluate the degree to which the composition 145 of the assemblages align with earlier studies that have employed more informal methods. This therefore 146 assumes that the artefact categories employed in Norwegian Stone Age archaeology are, at least to a certain 147 extent, behaviourally meaningful. However, the approach taken is also partially informed by the so-called 148 Frison effect (Jelinek 1976), which pertains to the fact that lithics studied by archaeologists can have had 149 long and complex use-lives in which they took on a multitude of different shapes before they were ultimately 150 discarded. Several scholars have built on this to argue that morphological variation in retouched lithics from 151 the Palaeolithic cannot be assumed to predominantly be the result of the intention of the original knapper to 152 reach some desired end-product, but rather that what is commonly categorised as discrete types of artefacts 153 by archaeologists can instead in large part be related to variable degrees of modification through use and 154 rejuvenation (e.g. Barton 1991; Barton and Clark 2021; Dibble 1995). Consequently, artefact categories 155 believed not to be internally consistent and categorically exclusive have therefore been collapsed for the 156 analysis, as their contribution as discrete analytical units could potentially be misleading (Figure 2). An 157 underlying assumption of the largely intuitively determined aggregation procedure is therefore effectively 158 that the retained categories represent artefact categories that have fulfilled different purposes or are related 159 to different technological processes. While aggregating artefact categories in this manner could subsume 160 important variation, it does also reduce the possibility that any conclusions are not simply the result of 161 employing erroneous units of analysis. 162

However, for the most part we lack even a most basic understanding of what any individual lithic object in an assemblage has been used for (Dibble et al. 2017). For example, a vast amount of artefacts defined as debitage are likely to have fulfilled the function of tools, and both debitage and formal tool types could have had various different purposes and had a multitude of shapes throughout their use-life. This has major implications that the above-outlined analysis does not take properly into account, rendering it difficult to align any identified pattern with specific behavioural dimensions. As a consequence, the second part of

core	core
core_fragment	core_fragment
Diade	blade
microblade	microblade
Chip chip	chip
🔲 fragment	fragment
🔲 flake	flake
🔲 axe_debitage	axe_debitage
axe	macro tool
Chisel	IIIacro_toor
microlith	
tanged_point	
transverse_point	
single_edged_point	projectile
hognipen_point	
projectile_undefined	
microburin	microburin
scraper	
knife knife	
🔲 burin	
drill	
blade retouch	small tool
microblade_retouch	_
chip retouch	
fragment_retouch	
fragment_retouch flake_retouch	beach flint flint nodule
fragment_retouch flake_retouch beach_flint_flint_nodule	beach_flint_flint_nodule
<pre>fragment_retouch flake_retouch beach_flint_flint_nodule axe_nonflint</pre>	
<pre>fragment_retouch flake_retouch beach_flint_flint_nodule axe_nonflint chisel_nonflint</pre>	beach_flint_flint_nodule macro_tool_nonflint
<pre>fragment_retouch flake_retouch beach_flint_flint_nodule axe_nonflint chisel_nonflint club_hatchet_nonflint</pre>	macro_tool_nonflint
<pre>fragment_retouch flake_retouch beach_flint_flint_nodule axe_nonflint chisel_nonflint club_hatchet_nonflint axe_debitage_nonflint</pre>	macro_tool_nonflint axe_debitage_nonflint
<pre>fragment_retouch flake_retouch beach_flint_flint_nodule axe_nonflint chisel_nonflint club_hatchet_nonflint axe_debitage_nonflint grinding_slab_stone</pre>	macro_tool_nonflint axe_debitage_nonflint grinding_slab_stone
fragment_retouch flake_retouch beach_flint_flint_nodule axe_nonflint chisel_nonflint club_hatchet_nonflint axe_debitage_nonflint grinding_slab_stone projectile_nonflint	macro_tool_nonflint axe_debitage_nonflint
fragment_retouch flake_retouch beach_flint_flint_nodule axe_nonflint chisel_nonflint club_hatchet_nonflint axe_debitage_nonflint grinding_slab_stone projectile_nonflint knife_nonflint	macro_tool_nonflint axe_debitage_nonflint grinding_slab_stone
fragment_retouch flake_retouch beach_flint_flint_nodule axe_nonflint chisel_nonflint club_hatchet_nonflint grinding_slab_stone projectile_nonflint knife_nonflint scraper_nonflint	macro_tool_nonflint axe_debitage_nonflint grinding_slab_stone
fragment_retouch flake_retouch beach_flint_flint_nodule axe_nonflint chisel_nonflint club_hatchet_nonflint grinding_slab_stone projectile_nonflint knife_nonflint scraper_nonflint drill_nonflint	macro_tool_nonflint axe_debitage_nonflint grinding_slab_stone projectile_nonflint
<pre>fragment_retouch flake_retouch beach_flint_flint_nodule axe_nonflint chisel_nonflint club_hatchet_nonflint axe_debitage_nonflint grinding_slab_stone projectile_nonflint knife_nonflint club_nonflint drill_nonflint microblade_retouch_nonflint</pre>	macro_tool_nonflint axe_debitage_nonflint grinding_slab_stone
<pre>fragment_retouch flake_retouch beach_flint_flint_nodule axe_nonflint chisel_nonflint club_hatchet_nonflint axe_debitage_nonflint grinding_slab_stone projectile_nonflint knife_nonflint club_nonflint blade_retouch_nonflint blade_retouch_nonflint</pre>	macro_tool_nonflint axe_debitage_nonflint grinding_slab_stone projectile_nonflint
fragment_retouch flake_retouch beach_flint_flint_nodule axe_nonflint chisel_nonflint club_hatchet_nonflint axe_debitage_nonflint grinding_slab_stone projectile_nonflint knife_nonflint scraper_nonflint drill_nonflint microblade_retouch_nonflint blade_retouch_nonflint fragment_retouch_nonflint	macro_tool_nonflint axe_debitage_nonflint grinding_slab_stone projectile_nonflint
fragment_retouch flake_retouch beach_flint_flint_nodule axe_nonflint chisel_nonflint club_hatchet_nonflint axe_debitage_nonflint grinding_slab_stone projectile_nonflint knife_nonflint scraper_nonflint drill_nonflint microblade_retouch_nonflint blade_retouch_nonflint fragment_retouch_nonflint flake_retouch_nonflint	macro_tool_nonflint axe_debitage_nonflint grinding_slab_stone projectile_nonflint small_tool_nonflint
fragment_retouch flake_retouch beach_flint_flint_nodule axe_nonflint chisel_nonflint club_hatchet_nonflint axe_debitage_nonflint grinding_slab_stone projectile_nonflint knife_nonflint scraper_nonflint drill_nonflint microblade_retouch_nonflint blade_retouch_nonflint fragment_retouch_nonflint flake_retouch_nonflint hammerstone	<pre>macro_tool_nonflint axe_debitage_nonflint grinding_slab_stone projectile_nonflint small_tool_nonflint hammerstone</pre>
fragment_retouch flake_retouch beach_flint_flint_nodule axe_nonflint chisel_nonflint club_hatchet_nonflint axe_debitage_nonflint grinding_slab_stone projectile_nonflint knife_nonflint scraper_nonflint drill_nonflint blade_retouch_nonflint blade_retouch_nonflint fragment_retouch_nonflint flake_retouch_nonflint flake_nonflint	<pre>macro_tool_nonflint axe_debitage_nonflint grinding_slab_stone projectile_nonflint small_tool_nonflint hammerstone flake_nonflint</pre>
fragment_retouch flake_retouch beach_flint_flint_nodule axe_nonflint chisel_nonflint club_hatchet_nonflint axe_debitage_nonflint grinding_slab_stone projectile_nonflint knife_nonflint scraper_nonflint drill_nonflint blade_retouch_nonflint blade_retouch_nonflint fragment_retouch_nonflint flake_nonflint flake_nonflint fragment_nonflint	<pre>macro_tool_nonflint axe_debitage_nonflint grinding_slab_stone projectile_nonflint small_tool_nonflint hammerstone flake_nonflint fragment_nonflint</pre>
fragment_retouch flake_retouch beach_flint_flint_nodule axe_nonflint chisel_nonflint club_hatchet_nonflint axe_debitage_nonflint grinding_slab_stone projectile_nonflint knife_nonflint scraper_nonflint drill_nonflint microblade_retouch_nonflint blade_retouch_nonflint flake_retouch_nonflint flake_retouch_nonflint flake_nonflint chike_nonflint chike_nonflint chike_nonflint chike_nonflint chike_nonflint	<pre>macro_tool_nonflint axe_debitage_nonflint grinding_slab_stone projectile_nonflint small_tool_nonflint hammerstone flake_nonflint fragment_nonflint chip_nonflint</pre>
fragment_retouch flake_retouch beach_flint_flint_nodule axe_nonflint chisel_nonflint club_hatchet_nonflint grinding_slab_stone projectile_nonflint knife_nonflint drill_nonflint microblade_retouch_nonflint blade_retouch_nonflint fragment_retouch_nonflint fragment_nonflint fragment_nonflint blade_nonflint blade_nonflint blade_nonflint blade_nonflint blade_nonflint blade_nonflint blade_nonflint blade_nonflint	<pre>macro_tool_nonflint axe_debitage_nonflint grinding_slab_stone projectile_nonflint small_tool_nonflint hammerstone flake_nonflint fragment_nonflint chip_nonflint blade_nonflint</pre>
fragment_retouch flake_retouch beach_flint_flint_nodule axe_nonflint chisel_nonflint club_hatchet_nonflint axe_debitage_nonflint grinding_slab_stone projectile_nonflint knife_nonflint scraper_nonflint drill_nonflint microblade_retouch_nonflint flake_retouch_nonflint flake_retouch_nonflint flake_nonflint flake_nonflint blade_nonflint fragment_nonflint blade_nonflint blade_nonflint blade_nonflint	<pre>macro_tool_nonflint axe_debitage_nonflint grinding_slab_stone projectile_nonflint small_tool_nonflint hammerstone flake_nonflint fragment_nonflint chip_nonflint blade_nonflint microblade_nonflint</pre>
fragment_retouch flake_retouch beach_flint_flint_nodule axe_nonflint chisel_nonflint club_hatchet_nonflint grinding_slab_stone projectile_nonflint knife_nonflint drill_nonflint microblade_retouch_nonflint blade_retouch_nonflint fragment_retouch_nonflint fragment_nonflint fragment_nonflint blade_nonflint blade_nonflint blade_nonflint blade_nonflint blade_nonflint blade_nonflint blade_nonflint blade_nonflint	<pre>macro_tool_nonflint axe_debitage_nonflint grinding_slab_stone projectile_nonflint small_tool_nonflint hammerstone flake_nonflint fragment_nonflint chip_nonflint blade_nonflint</pre>

Figure 2: Aggregation of variables for the correspondence analysis. The column on the left shows the variables as originally compiled. The column on the right shows how these have been aggregated for the analysis.

the analysis employs a suite of measures developed for the classification of lithic assemblages with these 169 inferential limitations in mind (Barton et al. 2011; Clark and Barton 2017, and below). The logic behind 170 these measures are founded on an understanding of technology as being organised along a continuum ranging 171 between curated and expedient (Binford 1973, 1977, 1979). An expedient technological organisation pertains 172 to the situational production of tools to meet immediate needs, with little investment of time and resources in 173 modification and rejuvenation, resulting in high rates of tool replacement. Curated technological organisation, 174 on the other hand, has been related to manufacture and maintenance of tools in anticipation of future use. 175 the transport of these artefacts between places of use, and the modification and rejuvenation of artefacts for 176 different and changing situations. 177

However, following not least from the ambiguous definition first put forward by Binford (1973), the theoretical 178 definition of curation, its archaeological correlates, and behavioural implications have been widely discussed 179 and disputed (e.g. Bamforth 1986; Nash 1996; Shott 1996; Surovell 2009:9–13). Still, that the distinction can 180 offer a useful analytical point of departure if clearly and explicitly operationalised seems more or less agreed 181 upon, and some dimensions of the concept are generally accepted. For example, although precisely how it is 182 measured may vary, the empirical correspondent to a curated technological organisation is typically defined 183 by high degrees of retouch, as this is commonly seen as a means of realising the potential utility of a tool—or 184 extending its use-life—by the repeated rejuvenation and modification of edges (e.g. Bamforth 1986; Dibble 185 1995; Shott and Sillitoe 2005). 186

One concrete operationalisation of the terms has been forwarded by Barton (1998) and collegues (e.g. Barton 187 et al. 1999, 2011, 2013; Barton and Riel-Salvatore 2014; Clark and Barton 2017; Riel-Salvatore and Barton 188 2004, 2007; Villaverde et al. 1998), who through a series of studies have shown that the relationship between 189 volumetric density of lithics and relative frequency of retouched artefacts in lithic assemblages have a consistent 190 negative relationship across a wide range of chronological and cultural context, ranging from Pleistocene and 191 Holocene assemblages in Europe and Asia, to assemblages associated with both Neanderthals and modern 192 humans (Barton et al. 2011; Riel-Salvatore et al. 2008). This relationship is taken to reflect degree of 193 curation, and is in turn mainly to follow from the accumulated nature of land-use and mobility patterns 194 associated with the assemblages (Barton and Riel-Salvatore 2014). Furthermore, the relationship between 195 curated and expedient technological organisation has been related to the continuum defined by Binford (1980) 196 between residentially mobile foragers and logistically mobile collectors (Clark and Barton 2017; Riel-Salvatore 197 and Barton 2004; see also Bamforth 1986; Binford 1977). Residential mobility involves the relatively frequent 198 movement of entire groups between resource patches throughout the year, while logistic mobility entails the 199 use of central base-camps that are moved less often and from where smaller task-groups venture on targeted 200 forays to retrieve specific resources. A higher degree of logistic as opposed to residential mobility thus also 201 involves a wider range of site types and associated mobility patterns (Binford 1980). 202

Furthermore, in this model, higher degree of mobility would mean a higher dependency on the artefacts and 203 the material people could bring with them, and dimensions such as weight, reliability, repairability, and the 204 degree to which artefacts could be manipulated to fulfil a wide range of tasks are therefore assumed to have 205 been factors of concern. From this it follows that the empirical expectation for short-term camps is a curated 206 technological organisation with higher relative frequency of retouched artefacts, and a lower overall density of 207 lithics (Clark and Barton 2017). More time spent in a single location, on the other hand, is assumed to lead 208 to better control of raw-material availability and to allow for its accumulation. This should in turn lead to a 209 more expedient technological organisation with reduced necessity for the conservation of lithics and extensive 210 use of retouch. The empirical expectation for lower degree of mobility is therefore relatively high density of 211 lithics, a low relative frequency of retouched artefacts, as well as a higher number of unexhausted cores and 212 unretouched flakes and blades. These variables and underlying logic constitute what has been termed Whole 213 Assemblage Behavioural Indicators (WABI, Clark and Barton 2017), and is the main framework adopted 214 here 215

As these measures are argued to predominantly be determined by land-use and mobility patterns, relative frequency of chips and relative frequency of non-flint material are also included in the analysis, as these measures have also been linked to mobility patterns (e.g. Bicho and Cascalheira 2020; Kitchel et al. 2021) and are of central importance to Norwegian Stone Age archaeology (e.g. Breivik et al. 2016; Reitan 2016)—the use of local non-flint material has been taken to indicate reduced mobility and increased familiarity with local surroundings (Glørstad 2010:181; Jaksland 2001:112).

222 4 Methodology

The exploratory approach taken here means that a wide range of combinations and transformations of variables has been explored to identify patterning in the data. While only parts of this process can sensibly be reported upon, all data and employed R programming scripts (R Core Team 2020) are freely available as a research compendium at https://osf.io/ehjfc/, following Marwick et al. (2018), allowing readers to explore and scrutinise the data and the final analytical choices made (Marwick 2017).

The 54 analysed sites have been dated by reference to relative sea-level change, typology and/or radiocarbon 228 dates (Table 2). Date ranges for sites based on shoreline displacement and typology are taken from the original 229 reports and follow the evaluation done by the original excavators. Where radiocarbon age determinations 230 believed to be associated with the lithic material are available, these have been calibrated using the IntCal20 231 calibration curve (Reimer et al. 2020) and subjected to Bayesian modelling using OxCal v4.4.4 (Bronk 232 Ramsey 2009) through the oxcAAR package (Hinz et al. 2021) for R. The only constraint imposed for the 233 modelling of the dates was that the dates from each site are assumed to represent a related group of events 234 through the application of the Boundary function (Bronk Ramsey 2021). The resulting posterior density 235 estimates were then summed for each site. 236

The first part of the analysis involves employing the method of correspondence analysis (CA), using the lithic count data as classified for the original excavation reports (e.g. Baxter 1994; Shennan 1997). As this part of the analysis partially draws on the above-mentioned Frison effect, several artefact categories have been collapsed for the CA. A version of the CA using the original artefact categories, as well as some additional configurations and ways to aggregate the variables are also available in the supplementary material to the paper.

Following the WABI and other factors associated with mobility patterns, as presented above, the variables 243 employed in the second part of the analysis are relative frequency of secondarily worked lithics (RFSL), 244 defined as the proportion of the assemblages constituted by retouched or ground lithics; volumetric density 245 of lithics (VDL), defined as the total number of artefacts divided by total excavated m^3 as taken from the 246 original reports; relative frequency of chips, defined as the proportion of artefacts with size < 1mm; relative 247 frequency of cores, the proportion of all artefacts classified as cores in the original reports; relative frequency 248 of blanks, here defined as the proportion of all artefacts classified as flakes, blades, micro-blades or fragments; 249 and finally relative frequency of non-flint material. Following Bicho and Cascalheira (2020), the analysis is 250 done using principal components analysis (PCA), leading to a shift in focus from the relative composition 251 emphasised by the CA, to having more weight placed on patterning in the most abundant occurrences (Baxter 252 1994:71-77). 253

A note should also be made on the fact that a few variables that are sometimes invoked for the classification of 254 sites in terms of associated mobility patterns are omitted here (e.g. Bergsvik 1995:116; Bicho and Cascalheira 255 2020; Breivik et al. 2016). For the assemblage data itself this especially pertains to diversity in tool-types 256 (Canessa 2021), which has been omitted in light of the above-metioned Frison effect. Number of features on 257 the sites has also been disregarded as taphonomic loss is likely to have led to a chronological bias in their 258 preservation. Similarly, the number of activity areas, effectively number of artefact clusters, however defined, 259 has also been disregarded. This follows most notably from the fact that the impact of post-depositional 260 processes at Stone Age sites in Norway is arguably understudied (Jørgensen 2017). This pertains for example 261 to bio-turbation in the form of three-throws, which can have a detrimental effect on the original distribution 262 of artefacts, and which can be expected to have impacted several of the sites treated here (Darmark 2018; 263 Jørgensen 2017). 264

265 5 Results

The general impression from the CA is that a chronological dimension accounts for a substantial amount of patterning in the data (Figure 3). This is indicated by the general transition across the colour scale in the row plot (Figure 3B), as well as the horseshoe curve or Guttman effect evident in the column plot (Figure 3A, Baxter 1994:119–120; Lockyear 2000). The fact that the two first dimensions of the CA accounts for as much as 80.53% of the inertia or variance also means that the structure of the data is well-represented in the plots and that these therefore are likely reflect true patterning in the data.

The column plot reveals that the earliest sites are characterised by the flint artefact categories microburins, 272 projectiles, as well as flint macro tools and associated debitage. These assemblages are also to a larger extent 273 characterised by core fragments, both in flint and non-flint materials, rather than cores. The non-flint material 274 on the earliest, or among the earliest sites, appears to be centred around the production of projectiles, as 275 both projectiles and non-flint blades are important constituents of the assemblages at these sites. The first 276 dimension, which is pulling some of the later sites towards the right of the plot, is mainly defined by macro 277 tools and associated debitage in non-flint materials that are negatively correlated with more flint dominated 278 assemblages. Site number 9, Nedre Hobekk 2, located in the upper right quadrant of the row plot represents 279 a somewhat curious case in that it is an early assemblage characterised by axe production in metarhyolite 280 (Eigeland 2014). However, the site had been quite heavily impacted by modern disturbances that could have 281 impacted the lithic material and which could explain its position as an outlier in the plot. Finally, although 282 the sample size is quite strained and the discussion of finer chronological points might not be warranted, the 283 first dimension does appear to be of of less importance for the absolute latest sites, as indicated by their 284 location to the left of the plot. 285

As most of the variation in the data is accounted for by the dominating non-flint material in later assemblages, 286 this suppresses and makes it difficult to discern patterns in the flint data. A second CA was therefore 287 performed, excluding the non-flint material (Figure 4). While not as substantial, there is clear temporal 288 patterning in the flint data as well. This is most marked for the earliest sites which are pulled away from the 289 main cluster, as projectiles, microburins, macro tools and debitage from their production characterises these 290 sites. Slightly younger sites appear more impacted by core fragments and blades. The temporal transition in 291 the main cluster is not as marked, but clearly present, and is driven by a larger proportion of blades, flakes 292 and small tools in the earliest assemblages of the cluster, which is opposed to chips, fragments and partly 293 micro-blades. 294

Moving on to the PCA of measures that have been linked to mobility, some of the variables with severely 295 skewed distributions were initially transformed (Figure 5). Figure 6 displays the resulting PCA. There is 296 a general temporal transition from the upper left to the bottom right of the plot. The second dimension 297 is mainly defined by a negative correlation between the VDL and RFSL (Figure 7). Almost orthogonal 298 to this is the strong negative correlation between relative frequency of chips and blanks. While there is 299 a slight tendency for blanks to be more associated with younger sites, frequency of chips appears to be 300 largely independent of time. However, this almost suspiciously strong negative correlation can perhaps have 301 a practical explanation. Seeing as the frequency of non-flint material is positively correlated with blanks and 302 negatively correlated with chips (Figure 5), one explanation to this pattern could be that smaller non-flint 303 pieces are simply more difficult to identify and separate from naturally fragmented stone during excavation 304 and classification. This could conceivably have led to an over-representation of blanks as compared to chips in 305 assemblages with a high proportion of non-flint material. While this is not necessarily the entire explanation, 306 this does make it difficult to place much analytical weight on this pattern. Relative frequency of cores is not 307 especially impactful in the PCA, and appears to be independent of the temporal dimension as well. That is 308 not to say that cores may not be indicative of or related to mobility patterns, but to get at this may require 309 further analysis beyond their simple classification as cores (Kitchel et al. 2021). 310

³¹¹ Thus, while the relative frequency of blades and cores does not appear to meet the expectations of the WABI,

it is difficult to say to what degree this is caused by idiosyncrasies in the Norwegian system for classification of

³¹³ lithics and properties of the lithic material itself. The relationship between VDL and RFSL does correspond

to the model and follows a clear temporal trend that is also correlated with the increased use of local raw

material. Thus, if the relationship between VDL and RFSL is accepted as a proxy for curation, and is related




Figure 3: Correspondence analysis using the artefact count data. A) Column plot (variables), B) Row plot (sites). Points close together are more similar. By evaluating how the variables are distributed on the column¹¹ plot it is possible to say how these define the two axes, in turn making it possible to relate the distribution of the sites in the row plot to the variables. As these are symmetrical plots, only general statements concerning the interrelation between the rows and the columns across the two plots can be made.




Figure 4: Correspondence analysis using the flint data. A) Column plot, B) Row plot.

to land-use and mobility patterns, these findings would be in line with previous research into the Mesolithic

of Norway, indicating that earlier sites are associated with higher degree of mobility than sites from later phases (e.g. Bergsvik 2001; Bjerck 2008; Glørstad 2010; Jaksland 2001). To explore this proposition further, these two variables are subjected to more detailed scrutiny below.

 $_{\rm 319}$ $\,$ these two variables are subjected to more detailed scrutiny below.

There is a strong negative correlation between the two variables (r = -0.5) and a general tendency for younger 320 sites to be associated with a higher VDL and a lower RFSL than older sites (Figure 8A). The linear correlation 321 is stronger between the mean site age and RFSL (r = -0.51), than between mean site age and VDL (r = 0.22). 322 Variable non-flint availability and workability has also been suggested to potentially impact these dimensions 323 (cf. Manninen and Knutsson 2014), but while the negative correlation is slightly less marked when only the 324 flint data is considered (r = -0.4), the general pattern is the same (Figure 8B). The relationship between mean 325 site age and relative frequency of secondarily worked flint is even stronger (r = -0.57), but as indicated by 326 the more spread out distribution along the x-axis, the volumetric density of flint is not temporally contingent 327 (r = 0.1). As was also indicated by the CA, this follows from the fact that non-flint materials make up a 328 higher share of the assemblages for some of the later Mesolithic sites, and is a point returned to below where 329 the temporal dimension of the relationship between VDL and RFSL is explored further. 330

To get more directly at this temporal trend, a curation index based on VDL and RFSL was devised by first 331 performing a min-max normalisation of the two variables, scaling them to take on values between 0 and 1. 332 The value for artefact density was then made negative to reflect its relationship with degree of curation. The 333 mean was then found for each site on these two normalised values. To account for the temporal uncertainty 334 associated with the dating of the sites, a simulation-based approach was also adopted (e.g. Crema 2012; 335 Orton et al. 2017). A LOESS curve was fit to the curation index and site age for each simulation run, where 336 the age of each site was drawn as a single year from their respective date ranges as provided in Figure 1. For 337 sites with radiocarbon age determinations the dates were drawn from the summed posterior density estimates. 338 while ages for sites dated with reference to relative sea-level change and typology were drawn uniformly from 339 the associated date range (Figure 9). This simulation was repeated 1000 times. Disregarding the edge-effects 340 at either end of the plot, the general tendency is a relatively high degree of curation among the earlier sites, 341 followed by a marked drop around 8000 BCE. This has stabilised by around 7000 BCE and remains stable 342 for the rest of the Mesolithic. The variation in degree of curation is also markedly higher after 8000 BCE. 343 Figure 9B displays the result of running the same procedure on the flint data. The general pattern follows 344 the same trajectory, but the result for some individual sites is noticeably different. 345

346 6 Discussion

The results of the CA appear to align well with previous research (e.g. Solheim 2017b, with references). In 347 the flint material the earliest sites are separated from the rest primarily based on the presence of macro tools, 348 microburins, projectiles, and, for slightly younger sites, core fragments and blades (cf. Bjerck 2017; Breivik 349 et al. 2018; Damlien and Solheim 2018; Fuglestvedt 2009; Jaksland and Fossum 2014). The importance of 350 the latter two can be associated with the blade technology that is introduced with the Middle Mesolithic, 351 characterised by blade production from conical and sub-conical cores with faceted platforms that involves the 352 removal of core tablets and rejuvenation flakes (Damlien 2016). When it comes to the non-flint material, 353 projectiles are to a larger extent a property of the earlier sites than later ones. The use of metarhyolite for 354 the production of axes is present at some earlier sites in addition to the previously mentioned Nedre Hobekk 355 2, and the production of non-flint hatchets and core axes is introduced in the Microlith Phase (Eymundsson 356 et al. 2018; Jaksland and Fossum 2014; Reitan 2016). However, in agreement with the literature, this is 357 evidently not as prominent a part of these assemblages. 358

The flint material of the later sites is to a larger extent characterised by micro-blades, which corresponds to the transition to micro-blade production from handle cores (e.g. Solheim et al. 2020). A more fragmented flint material, as indicated by the relative importance of flint chips and fragments, is also a previously noted property of some later Mesolithic, as well as early Neolithic sites (e.g. Fossum 2017; Stokke and Reitan 2018). The most defining material for the later sites, however, is non-flint macro tools and associated debitage, which is dominating some of these assemblages. It was noted above that this material does not seem to impact




Figure 5: Correlation matrix showing transformation of skewed variables for the PCA. The mean age of the sites has also been included to visualise overall temporal trends. Cells below the diagonal display the bivariate distributions with a fitted OLS-regression. The cells above the diagonal display and are coloured by the corresponding Pearson's correlation coefficient.




Figure 6: PCA biplot resulting from analysing variables that have been related to mobility patterns. Note that details on the transformation of the variables has been left out of the plot for clarity, but follow those given in Figure 5.




Figure 7: Contribution of variables to the first two components of the PCA. The dotted red line indicates the expected contribution from each variable given a uniform distribution of impact.




Figure 8: Relative frequency of secondarily worked lithics plotted against the volumetric density of artefacts for A) All lithics (r = -0.5), B) Flint (r = -0.4). The logarithm is taken to base 10 on all axes.




Figure 9: Temporal variation in the curation index for A) All lithics, and B) Flint. The temporal uncertainty is handled by means of a simulation approach where the site ages are drawn from their respective age determination probability density functions given in Figure 1B. A LOESS curve has been fit to the distribution for each of the 1000 simulation runs. Each simulation run is plotted with some transparency. Sites mentioned in the text are given colour.

the latest sites, which would indicate that specialised axe production sites disappear towards the end of the Mesolithic, a notion that would be in line with previous suggestions (e.g. Glørstad 2011; Reitan 2016).

One implication of the fact that the employed artefact categories are so clearly capturing a temporal component 367 could be that the aggregation of artefact categories might have been overly conservative. However, it is also 368 evidently clear, in the words of Kruskal (1971:22), that 'time is not the only dimension.' The results of the CA 369 do most certainly correspond to more pervasive cultural change than a purely typo-chronological development 370 of artefact morphology, which is also made evident by some significant deviances from the overall pattern. 371 Unpicking and aligning these patterns with any specific behavioural and technological dimensions using the 372 coarse CA results is, however, another task entirely. This follows most clearly from the fact that for the 373 most part we do not know what individual lithic objects in the assemblages have been used for, leaving the 374 behavioural and social significance of the employed units of analysis unclear. The results of the CA can, 375 however, be used in conjunction with the part of the analysis that has attempted to get at more specific 376 behavioural dimensions to nuance or explain discrepancies in this data. 377

The curation index has relatively high values until some time before 8000 BCE, before it drops and stabilises 378 around 7000 BCE. This pattern is evident in both the flint data and when all lithics are treated in aggregate. 379 Furthermore, the increased variation in degree of curation after around 8000 BCE could indicate that these 380 sites were associated with a more varied mobility pattern. The five sites that have values on the curation 381 index below c. -0.25 could in this perspective have predominantly functioned as base-camps within a logistic 382 settlement pattern. That these assemblages reflect stays of a longer duration was suggested for all five sites 383 in the original reports (Carrasco et al. 2014; Eigeland and Fossum 2017; Persson 2014; Solheim and Olsen 384 2013), with the exception of for Vallermyrene 4, which was argued to be a specialised axe production site, not 385 necessarily associated with lower degrees of mobility (Eigeland and Fossum 2014). This highlights a possible 386 issue pertaining to raw-material variability, as the coarse non-flint material used for the production of axes 387 generally results in a relatively large amount of waste per produced tool, possibly skewing the curation index 388 when compared to assemblages dominated by flint. Referring back to the CA, the difference is most marked 380 for the sites in the later part of the Mesolithic where non-flint material become more dominating parts of the 390 assemblages. As can be seen in Figure 9B, the degree of curation is markedly higher for both Gunnarsrød 6b 391 and Vallermyrene 4 when the non-flint material is excluded, although they remain more expedient than that 392 of contemporary assemblages. Thus, the degree of expediency for assemblages dominated by non-flint might 393 be somewhat exaggerated when the non-flint material is included, while its exclusion would likely lead to its 394 underestimation. One possible approach could be to weigh the curation index by the proportion of non-flint 395 material in the assemblages. This is not explored further here, however, as the overall tendencies appear 396 robust to this effect. 397

Another case also worth commenting on is Langangen Vestgård 1, which, on the grounds of an overall large 398 number of artefacts and the possible presence of a dwelling structure was argued to reflect a more permanent 399 site location in the original report (Melvold and Eigeland 2014). However, the relatively high value on the 400 curation index could mean that the site reflects the aggregation of stays which predominantly have been of a 401 comparable duration to those on contemporary sites, while the possible dwelling structure, if taken as an 402 indication of longer stays, could in this perspective represent a remnant from one or a few visits of longer 403 duration that constitute a smaller fraction of the use-life of the site as a whole (cf. Barton and Riel-Salvatore 404 2014). 405

While there are certainly nuances in the material that might lead one to question the applicability of the 406 VDL and RFSL measures for any individual site, the overall pattern for curation does appear robust. The 407 curation index is relatively high and uniform until some time before 8000 BCE. This corresponds well with 408 the view that the Early Mesolithic is characterised by a high and uniform degree of mobility. This is followed 409 by a marked increase in expedience, which has stabilised by around 7000 BCE. Again, this corresponds well 410 with the employed chronological framework. Referring back to the demographic changes that are to take 411 place around this transition, the Microlith phase could thus represent a period where migrating people and 412 new living practices were propagating through societies in south-eastern Norway—a process that in light of 413 the curation data would have concluded around 7000 BCE. 414

⁴¹⁵ The curation index then remains stable for the rest of the Mesolithic. This suggests that the transition to

⁴¹⁶ mobility patterns traditionally ascribed to the Nøstvet Phase can indeed be traced back to the Microlith ⁴¹⁷ Phase (cf. Solheim and Persson 2016). The continued stability of the curation index could also indicate that ⁴¹⁸ the demographic changes suggested to take place in the Transverse Arrowhead Phase are not related to major ⁴¹⁹ shifts in land-use and mobility patterns. However, it is worth highlighting the strained sample size for the ⁴²⁰ later parts of the Mesolithic, which could mean that the effect is simply missed.

As it stands, the main hypotheses resulting from the present analysis would be that settlement patterns in 421 the earliest parts of the Mesolithic were characterised by relatively high and uniform degrees of mobility, 422 which then drop before levelling off at around 7000 BCE. These then remain stable throughout the rest of 423 the period, despite variation pertaining to other aspects of the lithic inventories, as evidenced by the CA. 424 The fall in curation levels and parallel increase in variation would seem to correlate well with a transition 425 from a predominantly residential to logistical settlement system (Binford 1980). This indicates, in turn, that 426 the measures represent an empirical link between technological organisation and economic behaviour and 427 mobility patterns (Riel-Salvatore and Barton 2004). 428

429 7 Conclusion

The results of the CA align well with results of previous research in south-eastern Norway, indicating that meaningful chronological patterning is associated with the employed artefact categories. These tendencies are already well-established when it comes to the formal tool types and some debitage categories, but have been given less focus in light of entire assemblages. Precisely what behavioural implication the development in the occurrences of the tool and debitage categories have are less clear, but appears to follow a different and more complex development over time than that of curation, as operationalised here.

The temporal trends associated with the curation index corresponds surprisingly well with trajectories of 436 cultural development previously suggested in the literature, and does therefore, in my view, suggest that 437 shifts in land-use and mobility patterns are the main drivers behind this empirical pattern—in line with the 438 framework of Barton et al. (2011). Another perspective would be that this is not surprising at all (cf. Kuhn 439 and Clark 2015:14), and that the previously demonstrated relevance of these measures across a wide range 440 of contexts points to their pervasive relevance for the organisation of lithic technology, and, therefore, that 441 there should be little reason to think Mesolithic south-eastern Norway should be any different. However, 442 the conclusion that these these measures apply to and appear to capture the dimensions of interest in a 443 relatively controlled empirical setting, reached by means of an exploratory analysis can only constitute a first 444 analytical step. As Elster (2015:12) has pointed out, the human mind seems to have a propensity to settle for 445 an explanation that *can* be true, as soon as this has been reached. This, however, can only constitute the 446 absolute minimum of what is required of a proposed explanation. Subsequent steps should be to probe and 447 challenge this explanatory framework, also in light of alternative hypotheses (e.g. Clark 2009:29–30; Perreault 448 2019:1–22). The empirical relationship does nonetheless hold great potential for large scale comparative 449 studies in Mesolithic Scandinavia and beyond. Furthermore, the curation index was here simply narratively 450 associated with the most immediate chronological trends emphasised in the literature concerned with the 451 Mesolithic of south-eastern Norway. The explicit quantification does, however, offer the possibility to conduct 452 formal comparisons with a wide range of environmental, demographic and cultural dimensions across multiple 453

454 scales of analysis.

455 Declaration of interest

⁴⁵⁶ The author has no conflicts of interest to declare.

457 References

- 458 Andrefsky, William
- ⁴⁶¹ Åstveit, Leif Inge
- ⁴⁶² 2014 Noen synspunkt på den tidligmesolittiske bosetningen i Sør-Norge. Primitive tider 16:87–104.
 ⁴⁶³ DOI:10.5617/pt.7233.
- ⁴⁶⁴ 2018 The Early Mesolithic of Western Norway. In Early Economy and Settlement in Northern Europe.
 Pioneering, Resource Use, Coping with Change, edited by Hans Peter Blankholm, pp. 231–274.
 ⁴⁶⁵ Equinox, Sheffield.
- 466 Bailey, Geoff
- ⁴⁶⁷ 2007 Time perspectives, palimpsests and the archaeology of time. *Journal of Anthropological Archaeology* ⁴⁶⁸ 26(2):198–223. DOI:10.1016/j.jaa.2006.08.002.
- 469 Ballin, Torben Bjarke
- The Middle Mesolithic in Southern Norway. In *The Mesolithic of Central Scandinavia*, edited by Joel Boaz, pp. 203–216. University of Oslo, Oslo.
- 472 Bamforth, Douglas B.
- ⁴⁷³ 1986 Technological Efficiency and Tool Curation. American Antiquity 51(1):38–50. DOI:10.2307/280392.
- 474
- 475 Barton, C. Michael
- ⁴⁷⁶ 1991 Retouched Tools, Fact or Fiction? Paradigms for Interpreting Paleolithic Chipped Stone. In *Perspectives on the Past. Theoretical Biases in Mediterranean Hunter-Gatherer Research*, edited by Geoffrey A. Clark, pp. 143–163. University of Pennsylvania Press, Philadelphia.
- ⁴⁷⁸ 1998 Looking back from the world's end: paleolithic settlement and mobility at Gibraltar. In Las Culturas del Pleistoceno Superior en Andalucia, edited by José Luis Sanchidrián and María Dolores Simón Vallejo, pp. 13–22. Patronato de la Cueva de Nerja, Nerja.
- 480 Barton, C. Michael, Joan Bernabeu, J. Emili Aura, and Oreto García
- ⁴⁸¹ 1999 Land-Use Dynamics and Socioeconomic Change: An Example from the Polop Alto Valley. American
 ⁴⁸² Antiquity 64(4):609–634. DOI:10.2307/2694208.
- ⁴⁸³ Barton, C. Michael, and Geoffrey A. Clark
- 484 2021 From Artifacts to Cultures: Technology, Society, and Knowledge in the Upper Paleolithic. Journal of Paleolithic Archaeology 4(2):16. DOI:10.1007/s41982-021-00091-8.
- ⁴⁸⁶ Barton, C. Michael, and Julien Riel-Salvatore
- ⁴⁸⁷ 2014 The Formation of Lithic Assemblages. *Journal of Archaeological Science* 46:334–352. DOI:10.1016/j.jas.2014.03.031.
- 489 Barton, C. Michael, Julien Riel-Salvatore, John M. Anderies, and Gabriel Popescu
- 490 2011 Modeling Human Ecodynamics and Biocultural Interactions in the Late Pleistocene of Western Eurasia.
 491 Human Ecology 39(6):705-725. DOI:10.1007/s10745-011-9433-8.
- ⁴⁹² Barton, C. Michael, Valentin Villaverde, João Zilhão, J. Emili Aura, Oreto Garcia, and Ernestina Badal
- ⁴⁹³ 2013 In glacial environments beyond glacial terrains: Human eco-dynamics in late Pleistocene Mediterranean Iberia. Quaternary International 318:53–68. DOI:10.1016/j.quaint.2013.05.007.
- ⁴⁹⁵ Baxter, Michael J.
- ⁴⁹⁶ 1994 Exploratory Multivariate Analysis in Archaeology. Percheron Press, New York.
- 497

- ⁴⁹⁸ Berg-Hansen, Inger Marie
- ⁴⁹⁹ 1999 The Availability of Flint at Lista and Jæren, Southwestern Norway. In *The Mesolithic of Central Scandinavia*, edited by Joel Boaz, pp. 255–266. University of Oslo, Oslo.
- ⁵⁰¹ 2017 Den sosiale teknologien. Teknologi og tradisjon i Nord-Europa ved slutten av istida, 10 900 8500 f.Kr. Unpublished PhD thesis, Oslo.
- ⁵⁰³ Bergsvik, Knut Andreas
- ⁵⁰⁴ 1995 Bosetningsmønstre på kysten av Nordhordland i steinalder. En geografisk analyse. In Arkeologiske skrifter 8. Steinalderkonferansen i Bergen 1993, edited by Knut Andreas Bergsvik, Signe Nygaard, and Arne Johan Nærøy, pp. 111–130. University of Bergen, Bergen.
- ⁵⁰⁶ 2001 Sedentary and Mobile Hunterfishers in Stone Age Western Norway. Arctic Anthropology 38(1):2–26.
- 507 508 Bevan, Andrew
- ⁵⁰⁹ 2015 The data deluge. Antiquity 89(348):1473–1484. DOI:10.15184/aqy.2015.102.
- 510
- 511 Bicho, Nuno, and João Cascalheira
- ⁵¹² 2020 Use of lithic assemblages for the definition of short-term occupations in hunter-gatherer prehistory. In *Short-term occupations in Paleolithic archaeology: Definition and interpretation*, edited by João Cascalheira and Andrea Picin, pp. 19–38. Springer, Cham.
- 514 Binford, Lewis R.
- ⁵¹⁵ 1973 Interassemblage variability the Mousterian and the "functional" argument. In *The explanation of* ⁵¹⁶ *culture change: Models in prehistory*, edited by Colin Renfrew, pp. 227–254. Duckworth, London.
- ⁵¹⁷ 1977 Forty-seven trips: A case study in the character of archaeological fomation processes. In Stone Tools as Cultural Markers: Change, Evolution and Complexity, edited by R. V. S. Wright, pp. 24–36. Australian Institute of Aboriginal Studies, Canberra.
- ⁵¹⁹ 1979 Organization and Formation Processes: Looking at Curated Technologies. Journal of Anthropological Research 35(3):255–273. DOI:10.1086/jar.35.3.3629902.
- ⁵²¹ 1980 Willow Smoke and Dogs' Tails: Hunter-Gatherer Settlement Systems and Archaeological Site Formation. ⁵²² American Antiquity 45(1):4–20. DOI:10.2307/279653.
- 523 Bjerck, Hein Bjartmann
- ⁵²⁴ 1986 The Fosna-Nøstvet Problem. A Consideration of Archaeological Units and Chronozones in the South Norwegian Mesolithic Period. Norwegian Archaeological Review 19(2):103–121. DOI:10.1080/00293652.1987.9965440.
- ⁵²⁶ 2008 Norwegian Mesolithic Trends: A Review. In *Mesolithic Europe*, edited by Geoff Bailey and Penny ⁵²⁷ Spikins, pp. 60–106. Cambridge University Press, Cambridge.
- ⁵²⁸ 2017 Settlements and Seafaring: Reflections on the Integration of Boats and Settlements Among Marine Foragers in Early Mesolithic Norway and the Yámana of Tierra del Fuego. *The Journal of Island and Coastal Archaeology* 12(2):276–299. DOI:10.1080/15564894.2016.1190425.
- 530 Breivik, Heidi Mjelva
- ⁵³¹ 2020 Diachronic trends among Early Mesolithic sites types? A study from the coast of central Norway. In Coastal Landscapes of the Mesolithic: Human Engagement with the Coast from the Atlantic to the Baltic Sea, edited by Almut Schülke, pp. 121–146. Routledge, London & New York.
- ⁵³³ Breivik, Heidi Mjelva, Hein Bjartmann Bjerck, Francisco J Zangrando, and Ernesto L Piana
- ⁵³⁴ 2016 On the Applicability of Environmental and Ethnographic Reference Frames: An Example from the High-Latitude Seascapes of Norway and Tierra del Fuego. In *Marine Ventures: Archaeological Perspectives on Human-Sea Relations*, edited by Hein Bjartmann Bjerck, Heidi Mjelva Breivik, Silhe E Fretheim, Ernesto L Piana, Skar Birgitte, Angélica M Tivoli, and Francisco J Zangrando, pp. 75–94. Equinox, Sheffield.
- ⁵³⁶ Breivik, Heidi Mjelva, and Martin Callanan
- 537 2016 Hunting High and Low: Postglacial Colonization Strategies in Central Norway between 9500 and 8000
- cal BC. European Journal of Archaeology 19(4):571–595. DOI:10.1080/14619571.2016.1147315.

- 539 Breivik, Heidi Mjelva, Guro Fossum, and Steinar Solheim
- ⁵⁴⁰ 2018 Exploring human responses to climatic fluctuations and environmental diversity: Two stories from ⁵⁴¹ Mesolithic Norway. *Quaternary International* 465:258–275. DOI:10.1016/j.quaint.2016.12.019.
- 542 Bronk Ramsey, Christopher
- ⁵⁴³ 2009 Bayesian Analysis of Radiocarbon Dates. *Radiocarbon* 51(1):337–360. DOI:10.1017/S0033822200033865.
- 545 2021 OxCal 4.4 manual. https://c14.arch.ox.ac.uk/oxcalhelp/hlp_contents.html.
- 546
- 547 Canessa, Timothy
- ⁵⁴⁸ 2021 Mobility and settlement strategies in southern Iberia during the Last Glacial Maximum: Evaluating the region's refugium status. *Journal of Archaeological Science: Reports* 37:102966.
 ⁵⁴⁹ DOI:10.1016/j.jasrep.2021.102966.
- ⁵⁵⁰ Carrasco, Lotte, Inger Margrete Eggen, Lotte Eigeland, Guro Fossum, Stine Melvold, Per Persson, and Gaute
- 551 Reitan
- ⁵⁵² 2014 Gunnarsrød 6. Et boplassområde fra overgangen mellommesolitikum-seinmesolitikum. In Vestfoldbaneprosjektet. Arkeologiske undersøkelser i forbindelse med ny jernbane mellom Larvik og Porsgrunn. Bind 1. Tidlig- og mellommesolittiske lokaliteter i Vestfold og Telemark, edited by Stine Melvold and Per Persson, pp. 277–308. Portal forlag, Kristiansand.
- 554 Clark, Geoffrey A.
- ⁵⁵⁵ 2009 Accidents of history: Conceptual frameworks in paleoarchaeology. In *Sourcebook of Paleolithic* ⁵⁵⁶ *Transitions*, edited by Marta Camps and Parth Chauhan, pp. 19–41. Springer, New York.
- 557 Clark, Geoffrey A., and C. Michael Barton
- ⁵⁵⁸ 2017 Lithics, landscapes & la Longue-durée Curation & expediency as expressions of forager mobility. *Quaternary International* 450:137–149. DOI:10.1016/j.quaint.2016.08.002.
- 560 Clark, Geoffrey A., and Julien Riel-Salvatore
- ⁵⁶¹ 2006 Observations on Systematics in Paleolithic Archaeology. In Transitions Before the Transition: Evolution and Stability in the Middle Paleolithic and Middle Stone Age, edited by Erella Hovers and Steven Kuhn, pp. 29–56. Springer, New York.
- ⁵⁶³ Crema, Enrico R.
- ⁵⁶⁴ 2012 Modelling Temporal Uncertainty in Archaeological Analysis. Journal of Archaeological Method and ⁵⁶⁵ Theory 19(3):440–461. DOI:10.1007/s10816-011-9122-3.
- 566 Damlien, Hege
- ⁵⁶⁷ 2016 Eastern pioneers in westernmost territories? Current perspectives on Mesolithic hunter-gatherer large-scale interaction and migration within Northern Eurasia. *Quaternary International* 419:5–16. DOI:10.1016/j.quaint.2014.02.023.
- 569 Damlien, Hege, and Steinar Solheim
- ⁵⁷⁰ 2018 The Pioneer Settlement of Eastern Norway. In Early Economy and Settlement in Northern Europe. Pioneering, Resource Use, Coping with Change, edited by Hans Peter Blankholm, pp. 335–367.
 ⁵⁷¹ Equinox, Sheffield.
- 572 Darmark, Kim
- A Cautionary Tale. Post-depositional processes affecting Stone Age sites in boreal forests, with examples from southern Norway. In *The Stone Age Coastal Settlement in Aust-Agder, Southeast Norway*, edited by Gaute Reitan and Lars Sundström, pp. 479–488. Cappelen Damm Akademisk, Oslo.
- 575 Dibble, Harold L.
- ⁵⁷⁶ 1995 Middle Paleolithic Scraper Reduction: Background, Clarification, and Review of the Evidence to Date.
 ⁵⁷⁷ Journal of Archaeological Method and Theory 2(4):299–368. DOI:10.1007/BF02229003.
- 578 Dibble, Harold L., Simon J. Holdaway, Sam C. Lin, David R. Braun, Matthew J. Douglass, Radu Iovita,
- 579 Shannon P. McPherron, Deborah I. Olszewski, and Dennis Sandgathe
- ⁵⁸⁰ 2017 Major Fallacies Surrounding Stone Artifacts and Assemblages. Journal of Archaeological Method and Theory 24(3):813–851. DOI:10.1007/s10816-016-9297-8.

- 581
- 582 Eigeland, Lotte
- 2014 Nedre hobekk 2. Lokalitet med opphold i tidligmesolitikum og senneolitikum/jernalder. In Vestfoldbaneprosjektet. Arkeologiske undersøkelser i forbindelse med ny jernbane mellom Larvik og Porsgrunn. Bind 1. Tidlig- og mellommesolittiske lokaliteter i Vestfold og Telemark, edited by Stine Melvold and Per Persson, pp. 110–125. Portal forlag, Kristiansand.
- ⁵⁸⁵ 2015 Maskinmennesket i steinalderen. Endring og kontinuitet i steinteknologi fram mot neolitiseringen av
 ⁵⁸⁶ Øst-Norge. Unpublished PhD thesis, Oslo.
- 587 Eigeland, Lotte, and Guro Fossum
- Vallermyrene 4. En lokalitet fra nøstvetfasen med spesialisert økseproduksjon. In Vestfoldbaneprosjektet. Arkeologiske undersøkelser i forbindelse med ny jernbane mellom Larvik og Porsgrunn. Bind 2. Seinmesolittiske, neolittiske og yngre lokaliteter i Vestfold og Telemark, edited by Gaute Reitan and Per Persson, pp. 31–69. Portal forlag, Kristiansand.
- ⁵⁹⁰ 2017 Hegna vest 4. En mellommesolittisk lokalitet med to funnkonsentrasjoner. In *E18 Rugtvedt-Dørdal.* Arkeologiske undersøkelser av lokaliteter fra steinalder og jernalder i Bamble kommune, Telemark fylke,
 ⁵⁹¹ edited by Steinar Solheim, pp. 357–370. Portal forlag, Kristiansand.
- 592 Elster, Jon
- ⁵⁹³ 2015 Explaining Social Behaviour: More Nuts and Bolts for the Social Sciences. Revised edition. Cambridge ⁵⁹⁴ University Press, Cambridge.
- 595 Eymundsson, Carine S. Rosenvinge, Guro Fossum, Lucia Uchermann Koxvold, Anja Mansrud, and Axel
- 596 Mjærum
- ⁵⁹⁷ 2018 Axes in transformation: A bifocal view of axe technology in the Oslo fjord area, Norway, c. 9200-6000 cal BC. In *The Early Settlement of Northern Europe. Transmission of Knowledge and Culture*, edited by Håkon Glørstad, Kjel Knutsson, Helena Knutsson, and Jan Apel, pp. 221–229. Equinox, Sheffield.
- 599 Fossum, Guro
- Stokke/Polland 3. En senmesolittisk lokalitet med økseproduksjon. In E18 Rugtvedt-Dørdal. Arkeologiske undersøkelser av lokaliteter fra steinalder og jernalder i Bamble kommune, Telemark fylke, edited
 by Steinar Solheim, pp. 413–434. Portal forlag, Kristiansand.
- 602 Frivoll, Alexander
- ⁶⁰³ 2017 Identifisering og klassifisering av littiske råmaterialer i sør- og østnorsk steinalderforskning. Reliabilitet
 ⁶⁰⁴ av visuell klassifiseringsmetode. Unpublished Master's thesis, Oslo.
- ⁶⁰⁵ Fuglestvedt, Ingrid
- ⁶⁰⁶ 2007 The Ahrensburgian Galta 3 site in SW Norway. Dating, Technology and Cultural Affinity. Acta
 ⁶⁰⁷ Archaeologica 78(2):87–110. DOI:10.1111/j.1600-0390.2007.00101.x.
- ⁶⁰⁸ 2009 *Phenomenology and the Pioneer Settlement on the Western Scandinavian Peninsula*. Bricoleur Press, ⁶⁰⁹ Lindome.
- ⁶¹⁰ 2012 The Pioneer Condition on the Scandinavian Peninsula: the Last Frontier of a 'Palaeolithic Way' in ⁶¹¹ Europe. Norwegian Archaeological Review 45(1):1–29. DOI:10.1080/00293652.2012.669998.
- 612 Glørstad, Håkon
- ⁶¹³ 2010 The Structure and History of the Late Mesolithic Societies in the Oslo Fjord Area 6300-3800 BC. ⁶¹⁴ Bricoleur Press, Lindome.
- ⁶¹⁵ 2011 The Nøstvet axe. In *Stone Axe Studies III*, edited by Vin Davis and Mark Edmonds, pp. 21–36. Oxbow Books, Oxford.
- 617 Günther, Torsten, Helena Malmström, Emma M. Svensson, Ayça Omrak, Federico Sánchez-Quinto, Gülşah
- 618 M. Kılınç, Maja Krzewińska, Gunilla Eriksson, Magdalena Fraser, Hanna Edlund, Arielle R. Munters,
- ⁶¹⁹ Alexandra Coutinho, Luciana G. Simões, Mário Vicente, Anders Sjölander, Berit Jansen Sellevold, Roger
- ⁶²⁰ Jørgensen, Peter Claes, Mark D. Shriver, Cristina Valdiosera, Mihai G. Netea, Jan Apel, Kerstin Lidén,
- 621 Birgitte Skar, Jan Storå, Anders Götherström, and Mattias Jakobsson
- ⁶²² 2018 Population genomics of Mesolithic Scandinavia: Investigating early postglacial migration routes and ⁶²³ high-latitude adaptation. *PLOS Biology* 16(1):e2003703. DOI:10.1371/journal.pbio.2003703.
- ⁶²⁴ Hinz, Martin, Clemens Schmid, Daniel Knitter, and Carolin Tietze

626

627 Jaksland, Lasse

- ⁶²⁸ 2001 Vinterbrolokalitetene en kronologisk sekvens fra mellom-og senmesolitikum i Ås, Akershus. University ⁶²⁹ of Oslo, Museum of Cultural History, Oslo.
- ⁶³⁰ Jaksland, Lasse, and Guro Fossum
- ⁶³¹ 2014 Kronologiske trender i det littiske funnmaterialet. Typologi, teknologi og råstoff. In *E18 Brunlane-sprosjektet. Bind I. Forutsetninger og kulturhistorisk sammenstilling*, edited by Lasse Jaksland and
 ⁶³² Per Persson, pp. 47–62. University of Oslo, Museum of Cultural History, Oslo.
- ⁶³³ Jaksland, Lasse, and Per Persson (editors)
- E18 Brunlanesprosjektet. Bind I. Forutsetninger og kulturhistorisk sammenstilling. University of Oslo,
 Museum of Cultural History, Oslo.
- ⁶³⁶ Jelinek, Arthur J.
- ⁶³⁷ 1976 Form, function and style in lithic analysis. In *Cultural Change and Continuity: Essays in Honor of* James Bennett Griffin, edited by Charles E. Cleland, pp. 19–33. Academic Press, New York.
- ⁶³⁹ Jørgensen, Erlend Kirkeng
- ⁶⁴⁰ 2017 Om vegetasjonsforstyrrelser: Konsekvenser for bevaringen av arkeologisk kontekstinformasjon i norske ⁶⁴¹ jordsmonn. Viking 80:157–180. DOI:10.5617/viking.5477.
- ⁶⁴² Kitchel, Nathaniel, Mark S. Aldenderfer, and Randall Haas
- ⁶⁴³ 2021 Diet, Mobility, Technology, and Lithics: Neolithization on the Andean Altiplano, 7.0–3.5 ka. *Journal* ⁶⁴⁴ of Archaeological Method and Theory. DOI:10.1007/s10816-021-09525-7.
- 645 Koxvold, Lucia Uchermann, and Guro Fossum
- ⁶⁴⁶ 2017 Funnbearbeiding, katalogisering og råstoffanalyser. Erfaringer fra E18 Rugtvedt-Dørdal. In E18 Rugtvedt-Dørdal. Arkeologiske undersøkelser av lokaliteter fra steinalder og jernalder i Bamble kommune,
 ⁶⁴⁷ Telemark fylke, edited by Steinar Solheim, pp. 85–96. Portal forlag, Kristiansand.
- 648 Kruskal, Joseph Bernard
- ⁶⁴⁹ 1971 Multi-dimensional Scaling in Archaeology: Time is not the Only Dimension. In *Mathematics in the Archeological and Historical Sciences*, edited by F. R. Hodson, D. G. Kendall, and P Tăutu, pp. 22–38.
 ⁶⁵⁰ Edinburgh University Press, Edinburgh.
- ⁶⁵¹ Kuhn, Steven L., and Amy E. Clark
- ⁶⁵² 2015 Artifact densities and assemblage formation: Evidence from Tabun Cave. Journal of Anthropological ⁶⁵³ Archaeology 38:8–16. DOI:10.1016/j.jaa.2014.09.002.
- 654 Lindblom, Inge
- ⁶⁵⁵ 1984 Former for økologisk tilpasning i Mesolitikum, Østfold. Universitetets Oldsaksamling Årbok ⁶⁵⁶ 1982/1983:43-86.
- 657 Lockyear, Kris
- ⁶⁵⁸ 2000 Site Finds in Roman Britain: A Comparison of Techniques. Oxford Journal of Archaeology 19(4):397–
 423. DOI:https://doi.org/10.1111/1468-0092.00118.
- 660 Manninen, Mikael A., Hege Damlien, Jan Ingolf Kleppe, Kjel Knutsson, Anton Murashkin, Anja R. Niemi,
- ⁶⁶¹ Carine S. Rosenvinge, and Per Persson
- First encounters in the north: cultural diversity and gene flow in Early Mesolithic Scandinavia.
 Antiquity 95(380):310-328. DOI:10.15184/aqy.2020.252.
- ⁶⁶⁴ Manninen, Mikael A., and Kjel Knutsson
- ⁶⁶⁵ 2014 Lithic raw material diversification as an adaptive strategy—Technology, mobility, and site structure in Late Mesolithic northernmost Europe. Journal of Anthropological Archaeology 33:84–98.
 ⁶⁶⁶ DOI:10.1016/j.jaa.2013.12.001.
- 667 Mansrud, Anja, and Carine Eymundsson
- ⁶⁶⁸ 2016 Socialized landscapes? Lithic clusters, hearths and relocation rituals at Middle Mesolithic sites in
 ⁶⁶⁹ Eastern Norway. *Fennoscandia archaeologica* 33:27–55.
- 670 Marwick, Ben

⁶²⁵ 2021 oxcAAR: Interface to 'OxCal' radiocarbon calibration. R package version 1.1.0.

- ⁶⁷¹ 2017 Computational Reproducibility in Archaeological Research: Basic Principles and a Case Study of Their Implementation. Journal of Archaeological Method and Theory 24(2):424–450. DOI:10.1007/s10816 ⁶⁷² 015-9272-9.
- ⁶⁷³ Marwick, Ben, Carl Boettiger, and Lincolc Mullen
- ⁶⁷⁴ 2018 Packaging Data Analytical Work Reproducibly Using R (and Friends). *The American Statistician* ⁶⁷⁵ 72(1):80–88. DOI:10.1007/s10816-015-9272-9.
- 676 Melvold, Stine, and Lotte Eigeland
- ⁶⁷⁷ 2014 Langangen Vestgård 1. En boplass fra siste del av mellommesolitikum med trinnøksproduksjon og strukturer. In Vestfoldbaneprosjektet. Arkeologiske undersøkelser i forbindelse med ny jernbane mellom Larvik og Porsgrunn. Bind 1. Tidlig- og mellommesolittiske lokaliteter i Vestfold og Telemark, edited by Stine Melvold and Per Persson, pp. 239–276. Portal forlag, Kristiansand.
- ⁶⁷⁹ Melvold, Stine, and Per Persson (editors)
- ⁶⁸⁰ 2014 Vestfoldbaneprosjektet. Arkeologiske undersøkelser i forbindelse med ny jernbane mellom Larvik og Porsgrunn. Bind 1. Tidlig- Og mellommesolittiske lokaliteter i Vestfold og Telemark. Portal forlag, Kristiansand.
- 682 Melvold, Stine, Gaute Reitan, Inger Margrete Eggen, and Lotte Eigeland
- ⁶⁸³ 2014 Utgravningsstrategi, metode og dokumentasjon. In Vestfoldbaneprosjektet. Arkeologiske undersøkelser i forbindelse med ny jernbane mellom Larvik og Porsgrunn. Bind 1. Tidlig- og mellommesolittiske lokaliteter i Vestfold og Telemark, edited by Stine Melvold and Per Persson, pp. 60–71. Portal forlag, Kristiansand.
- 685 Møller, Jakob J.
- ⁶⁸⁶ 1987 Shoreline relation and prehistoric settlement in northern Norway. Norwegian Journal of Geography
 ⁶⁸⁷ 41:45-60. DOI:http://dx.doi.org/10.1080/00291958708552171.
- 688 Nærøy, Arne Johan
- ⁶⁸⁹ 2018 Early Mesolithic spatial conformity in southern Norway. Journal of Archaeological Science: Reports ⁶⁹⁰ 18:905–912. DOI:10.1016/j.jasrep.2017.10.021.
- ⁶⁹¹ Nash, Steven E
- ⁶⁹² 1996 Is Curation a Useful Heuristic? In *Stone Tools: Theoretical Insights into Human Prehistory*, edited by ⁶⁹³ George H Odell, pp. 81–99. Springer.
- ⁶⁹⁴ Nielsen, Svein Vatsvåg
- ⁶⁹⁵ 2021 A Late Mesolithic Forager Dispersal Caused Pre-Agricultural Demographic Transition in Norway. Oxford Journal of Archaeology 40(2):153–175. DOI:https://doi.org/10.1111/ojoa.12218.
- ⁶⁹⁷ Orton, David, James Morris, and Alan Pipe
- ⁶⁹⁸ 2017 Catch Per Unit Research Effort: Sampling Intensity, Chronological Uncertainty, and the Onset of ⁶⁹⁹ Marine Fish Consumption in Historic London. *Open Quaternary* 3(1):1. DOI:10.5334/oq.29.
- 700 Perreault, Charles
- ⁷⁰¹ 2019 The Quality of the Archaeological Record. The University of Chicago Press, Chicago & London.
- 702
- ⁷⁰³ Persson, Per
- ⁷⁰⁴ 2014 Prestemoen 1. En plats med ben från mellanmesolitikum. In Vestfoldbaneprosjektet. Arkeologiske undersøkelser i forbindelse med ny jernbane mellom Larvik og Porsgrunn. Bind 1. Tidlig- og mellommesolitiske lokaliteter i Vestfold og Telemark, edited by Stine Melvold and Per Persson, pp. 202–227. Portal forlag, Kristiansand.
- 706 R Core Team
- R: A Language and Environment for Statistical Computing. R Foundation for Statistical Computing,
 Vienna.
- Reimer, Paula J., William E. N. Austin, Edouard Bard, Alex Bayliss, Paul G. Blackwell, Christopher Bronk
- 710 Ramsey, Martin Butzin, Hai Cheng, R. Lawrence Edwards, Michael Friedrich, Pieter M. Grootes, Thomas
- 711 P. Guilderson, Irka Hajdas, Timothy J. Heaton, Alan G. Hogg, Konrad A. Hughen, Bernd Kromer, Sturt
- ⁷¹² W. Manning, Raimund Muscheler, Jonathan G. Palmer, Charlotte Pearson, Johannes van der Plicht, Ron
- 713 W. Reimer, David A. Richards, E. Marian Scott, John R. Southon, Christian S. M. Turney, Lukas Wacker,

- 714 Florian Adolphi, Ulf Büntgen, Manuela Capano, Simon M. Fahrni, Alexandra Fogtmann-Schulz, Ronny
- ⁷¹⁵ Friedrich, Peter Köhler, Sabrina Kudsk, Fusa Miyake, Jesper Olsen, Frederick Reinig, Minoru Sakamoto,
- 716 Adam Sookdeo, and Sahra Talamo
- ⁷¹⁷ 2020 The IntCal20 Northern Hemisphere Radiocarbon Age Calibration Curve (0–55 cal kBP). Radiocarbon 62(4):725-757. DOI:10.1017/RDC.2020.41.
- 719 Reitan, Gaute
- ⁷²⁰ 2016 Mesolittisk kronologi i Sørøst-Norge et forslag til justering. Viking 79:23–51. DOI:10.5617/viking.3903.
- 722 Reitan, Gaute, and Per Persson (editors)
- ⁷²³ 2014 Vestfoldbaneprosjektet. Arkeologiske undersøkelser i forbindelse med ny jernbane mellom Larvik og Porsgrunn. Bind 2. Seinmesolittiske, neolittiske og yngre lokaliteter i Vestfold og Telemark. Portal forlag, Kristiansand.
- Rezek, Zeljko, Simon J. Holdaway, Deborah I. Olszewski, Sam C. Lin, Matthew Douglass, Shannon P.
 McPherron, Radu Iovita, David R. Braun, and Dennis Sandgathe
- ⁷²⁷ 2020 Aggregates, Formational Emergence, and the Focus on Practice in Stone Artifact Archaeology. *Journal* of Archaeological Method and Theory 27(4):887–928. DOI:10.1007/s10816-020-09445-y.
- 729 Riel-Salvatore, Julien, and C. Michael Barton
- ⁷³⁰ 2004 Late Pleistocene Technology, Economic Behavior, and Land-Use Dynamics in Southern Italy. American Antiquity 69(2):257–274. DOI:10.2307/4128419.
- ⁷³² 2007 New Quantitative Perspectives on the Middle–Upper Paleolithic Transition: The View from the Northern Mediterranean. In Early Upper Paleolithic "Transitional" Industries: New Questions, New Methods, pp. 61–73.
- ⁷³⁴ Riel-Salvatore, Julien, Gabriel Popescu, and C. Michael Barton
- ⁷³⁵ 2008 Standing at the gates of Europe: Human behavior and biogeography in the Southern Carpathians during the Late Pleistocene. Journal of Anthropological Archaeology 27(4):399–417.
 ⁷³⁶ DOI:10.1016/j.jaa.2008.02.002.
- ⁷³⁷ Romundset, Anders, Thomas R. Lakeman, and Fredrik Høgaas
- ⁷³⁸ 2018 Quantifying variable rates of postglacial relative sea level fall from a cluster of 24 isolation basins in southern Norway. *Quaternary Science Reviews* 197:175–192. DOI:10.1016/j.quascirev.2018.07.041.
- 740 Shennan, Stephen
- ⁷⁴¹ 1997 *Quantifying Archaeology*. 2nd edition. Edinburgh University Press, Edinburgh.
- 742 743 Shott, Michael J.
- ⁷⁴⁴ 1996 An Exegesis of the Curation Concept. Journal of Anthropological Research 52(3):259-280. ⁷⁴⁵ DOI:10.1086/jar.52.3.3630085.
- 746 Shott, Michael J., and Paul Sillitoe
- ⁷⁴⁷ 2005 Use life and curation in New Guinea experimental used flakes. *Journal of Archaeological Science* 32(5):653-663. DOI:10.1016/j.jas.2004.11.012.
- 749 Solheim, Steinar
- ⁷⁵⁰ 2013 E18-lokalitetene relasjonelle struktur. In *E18 Bommestad-Sky: Undersøkelse av lokaliteter fra mellommesolitikum, Larvik kommune, Vestfold fylke*, edited by Steinar Solheim and Hege Damlien, pp. 276–282. Portal forlag, Kristiansand.
- 752 (editor)
- ⁷⁵³ 2017a E18 Rugtvedt-Dørdal. Arkeologiske undersøkelser av lokaliteter fra steinalder og jernalder i Bamble kommune, Telemark fylke. Portal forlag, Kristiansand.
- ⁷⁵⁵ 2017b Kunnskapsstatus og faglig bakgrunn for undersøkelsene. In *E18 Rugtvedt-Dørdal. Arkeologiske* undersøkelser av lokaliteter fra steinalder og jernalder i Bamble kommune, Telemark fylke, edited by
 ⁷⁵⁶ Steinar Solheim, pp. 29–42. University of Oslo, Museum of Cultural History, Oslo.
- ⁷⁵⁷ 2020 Mesolithic coastal landscapes. Demography, settlement patterns and subsistence economy in southeastern Norway. In *Coastal Landscapes of the Mesolithic: Human Engagement with the Coast from the Atlantic to the Baltic Sea*, edited by Almut Schülke, pp. 44–72. Routledge, London & New York.

- 758
- ⁷⁵⁹ Solheim, Steinar, and Hege Damlien (editors)
- ⁷⁶⁰ 2013 E18 Bommestad-Sky. Undersøkelse av lokaliteter fra mellommesolitikum, Larvik kommune, Vestfold
 ⁷⁶¹ fylke. Portal forlag, Kristiansand.
- ⁷⁶² Solheim, Steinar, Hege Damlien, and Guro Fossum
- Technological transitions and human-environment interactions in Mesolithic southeastern Norway,
 11 500–6000 cal. BP. Quaternary Science Reviews 246:106–501. DOI:10.1016/j.quascirev.2020.106501.
- ⁷⁶⁵ Solheim, Steinar, and Dag Erik Færø Olsen
- ⁷⁶⁶ 2013 Hovland 3. Mellommesolittisk boplass med hyttetuft. In *E18 Bommestad-Sky: Undersøkelse av lokaliteter fra mellommesolitikum, Larvik kommune, Vestfold fylke*, edited by Steinar Solheim and Hege Damlien, pp. 198–235. Portal forlag, Kristiansand.
- 768 Solheim, Steinar, and Per Persson
- ⁷⁶⁹ 2016 Marine Adaptation in the Middle Mesolithic of South-eastern Norway. In Marine Ventures: Archaeological Perspectives on Human-Sea Relations, edited by Hein Bjartmann Bjerck, Heidi Mjelva Breivik, Silje E Fretheim, Ernesto L Piana, Birgitte Skar, Angélica M Tivoli, and Francisco J Zangrando, pp. 75–94. Equinox, Sheffield.
- ⁷⁷¹ 2018 Early and mid-holocene coastal settlement and demography in southeastern norway: Comparing distribution of radiocarbon dates and shoreline-dated sites, 8500–2000 cal. BCE. Journal of Archaeological Science: Reports 19:334–343. DOI:10.1016/j.jasrep.2018.03.007.
- 773 Sørensen, Rolf
- 1979 Late Weichselian deglaciation in the Oslofjord area, south Norway. Boreas 8(2):241-246. DOI:https: //doi.org/10.1111/j.1502-3885.1979.tb00806.x.
- 776 Stokke, Jo-Simon Frøshaug, and Gaute Reitan
- ⁷⁷⁷ 2018 Krøgenes D7 og D10. To tidligneolittiske lokaliteter med flekkeproduksjon. In *The Stone Age Coastal Settlement in Aust-Agder, Southeast Norway*, edited by Gaute Reitan and Lars Sundström, pp. 309–323.
 ⁷⁷⁸ Cappelen Damm Akademisk, Oslo.
- 779 Surovell, Todd A.
- 780 2009 Toward a Behavioral Ecology of Lithic Technology. The University of Arizona Press, Tucson.
- 781
- 782 Viken, Synnøve
- ⁷⁸³ 2018 Early Mesolithic sites are they all the same? Seventeen find concentrations from Southeast Norway in a forager-collector perspective. In *The Stone Age Coastal Settlement in Aust-Agder, Southeast Norway*, edited by Gaute Reitan and Lars Sundström, pp. 503–514. Cappelen Damm Akademisk, Oslo.
- ⁷⁸⁵ Villaverde, Valentín, J. Emili Aura, and C. Michael Barton
- The Upper Paleolithic in Mediterranean Spain: A Review of Current Evidence. Journal of World
 Prehistory 12(2):121–198. DOI:10.1023/A:1022332217614.

27




Figure 10: Correspondence analysis using all original artefact categories. A) Column plot, B) Row plot.




Figure 11: Correspondence analysis collapsing artefact types irrespective of raw-material and including proportion of non-flint as its own variable. A) Column plot, B) Row plot. 29




Figure 12: Same as above, only that here the proportion of non-flint is used as a supplementary column. A) Column plot, B) Row plot. The negligible difference between this CA and that above indicates that the³⁰ flint/non-flint distinction is integrated in the different artefact types, and therefore that the effect of artefact types and raw material cannot be separated. These plots thus hide important variability that is captured in the ones presented in the main text.